

Deforestation and World Population Sustainability: a Quantitative Analysis

Mauro Bologna and Gerardo Aquino

Abstract

In this paper we afford a quantitative analysis of the sustainability of current world population growth in relation to the parallel deforestation process adopting a statistical point of view. We consider a simplified model based on a stochastic growth process driven by a continuous time random walk, which depicts the technological evolution of human kind, in conjunction with a deterministic generalised logistic model for humans-forest interaction and we evaluate the probability of avoiding the self-destruction of our civilisation. Based on the current resource consumption rates and best estimate of technological rate growth our study shows that we have very low probability, less than 10% in most optimistic estimate, to survive without facing a catastrophic collapse.



Picture by [roya.ann.miller](#) in [Unsplash](#)

Introduction

In the last few decades, the debate on climate change has assumed global importance with consequences on national and global policies. Many factors due to human activity are considered as possible responsible of the observed changes: among these water and air contamination (mostly greenhouse effect) and deforestation are the mostly cited. While the extent of human contribution to the greenhouse effect and temperature changes is still a matter of discussion, the deforestation is an undeniable fact. Indeed before the development of human civilisations, our planet was covered by 60 million square kilometres of forest.¹ As a result of deforestation, less than 40 million square kilometres currently remain.² In this paper, we focus on the consequence of indiscriminate deforestation.

Trees' services to our planet range from carbon storage, oxygen production to soil conservation and water cycle regulation. They support natural and human food systems and provide homes for countless species, including us, through building materials. Trees and forests are our best atmosphere cleaners and, due to the key role they play in the terrestrial ecosystem, it is highly unlikely to imagine the survival of many species, including ours, on Earth without them. In this sense, the debate on climate change will be almost obsolete in case of a global deforestation of the planet. Starting from this almost obvious observation, we investigate the problem of the survival of humanity from a statistical point of view. We model the interaction between forests and humans based on a deterministic logistic-like dynamics, while we assume a stochastic model for the technological development of the human civilisation. The former model has already been applied in similar contexts,^{3,4} while the latter is based on data and model of global energy consumption^{5,6} used as a proxy for the technological development of a society. This gives solidity to our discussion and we show that, keeping the current rate of deforestation, statistically the probability to survive without facing a catastrophic collapse, is very low. We connect such probability to survive to the capability of humankind to spread and exploit the resources of the full solar system. According to Kardashev scale^{7,8} which measures a civilisation's level of technological advancement based on the amount of energy they are able to use, in order to spread through the solar system we need to be able to harness the energy radiated by the Sun at a rate of $\approx 4 \times 10^{26}$ Watt. Our current energy consumption rate is estimated in $\approx 10^{13}$ Watt.⁹ As showed in the subsections "Statistical Model of technological development" and "Numerical results" of the following section, a successful outcome has a well defined threshold and we conclude that the probability of avoiding a catastrophic collapse is very low, less than 10% in the most optimistic estimate.

Model Results

Deforestation

The deforestation of the planet is a fact.^[2] Between 2000 and 2012, 2.3 million Km² of forests around the world were cut down¹⁰ which amounts to 2×10^5 Km² per year. At this rate all the forests would disappear approximatively in 100–200 years. Clearly it is unrealistic to imagine that the human society would start to be affected by the deforestation only when the last tree would be cut down. The progressive degradation of the environment due to deforestation would heavily affect human society and consequently the human collapse would start much earlier.

Curiously enough, the current situation of our planet has a lot in common with the deforestation of Easter Island as described in.³ We therefore use the model introduced in that reference to roughly describe the humans-forest interaction. Admittedly, we are not aiming here for an exact exhaustive model. It is probably impossible to build such a model. What we propose and illustrate in the following sections, is a simplified model which nonetheless allows us to extrapolate the time scales of the processes involved: i.e. the deterministic process describing human population and resource (forest) consumption and the stochastic process defining the economic and technological growth of societies. Adopting the model in³ (see also¹¹) we have for the humans-forest dynamics

$$\frac{d}{dt} N(t) = rN(t) \left[1 - \frac{N(t)}{\beta R(t)} \right], \quad (1)$$

$$\frac{d}{dt} R(t) = r'R(t) \left[1 - \frac{R(t)}{R_c} \right] - a_0 N(t) R(t). \quad (2)$$

where N represent the world population and R the Earth surface covered by forest. β is a positive constant related to the carrying capacity of the planet for human population, r is the growth rate for humans (estimated as $r \sim 0.01$ years⁻¹),¹² a_0 may be identified as the technological parameter measuring the rate at which humans can extract the resources from the

environment, as a consequence of their reached technological level. r' is the renewability parameter representing the capability of the resources to regenerate, (estimated as $r' \sim 0.001 \text{ years}^{-1}$),¹³ R_c the resources carrying capacity that in our case may be identified with the initial 60 million square kilometres of forest. A closer look at this simplified model and at the analogy with Easter Island on which is based, shows nonetheless, strong similarities with our current situation. Like the old inhabitants of Easter Island we too, at least for few more decades, cannot leave the planet. The consumption of the natural resources, in particular the forests, is in competition with our technological level. Higher technological level leads to growing population and higher forest consumption (larger a_0) but also to a more effective use of resources. With higher technological level we can in principle develop technical solutions to avoid/prevent the ecological collapse of our planet or, as last chance, to rebuild a civilisation in the extraterrestrial space (see section on the Fermi paradox). The dynamics of our model for humans-forest interaction in Eqs. (1, 2), is typically characterised by a growing human population until a maximum is reached after which a rapid disastrous collapse in population occurs before eventually reaching a low population steady state or total extinction. We will use this maximum as a reference for reaching a disastrous condition. We call this point in time the “no-return point” because if the deforestation rate is not changed before this time the human population will not be able to sustain itself and a disastrous collapse or even extinction will occur. As a first approximation³, since the capability of the resources to regenerate, r' , is an order of magnitude smaller than the growing rate for humans, r , we may neglect the first term in the right hand-side of Eq. (2). Therefore, working in a regime of the exploitation of the resources governed essentially by the deforestation, from Eq. (2) we can derive the rate of tree extinction as

$$\frac{1}{R} \frac{dR}{dt} \approx -a_0 N. \quad (3)$$


The actual population of the Earth is $N \sim 7.5 \times 10^9$ inhabitants with a maximum carrying capacity estimated¹⁴ of $N_c \sim 10^{10}$ inhabitants. The forest carrying capacity may be taken as $R_c \sim 6 \times 10^7 \text{ Km}^2$ while the actual surface of forest is $R \leq 4 \times 10^7 \text{ Km}^2$. Assuming that β is constant, we may estimate this parameter evaluating the equality $N_c(t) = \beta R(t)$ at the time when the forests were intact. Here $N_c(t)$ is the instantaneous human carrying capacity given by Eq. (1). We obtain $\beta \sim N_c/R_c \sim 170$.

In alternative we may evaluate β using actual data of the population growth¹⁵ and inserting it in Eq. (1). In this case we obtain a range $700 \leq \beta \leq 900$ that gives a slightly favourable scenario for the human kind (see below and Fig. 4). We stress anyway that this second scenario depends on many factors not least the fact that the period examined in ¹⁵ is relatively short. On the contrary $\beta \sim 170$ is based on the accepted value for the maximum human carrying capacity. With respect to the value of parameter a_0 , adopting the data relative to years 2000–2012 of ref., ¹⁰ we have

$$\frac{1}{R} \frac{\Delta R}{\Delta t} \approx \frac{1}{3 \times 10^7} \frac{2.3 \times 10^6}{12} \approx -a_0 N \Rightarrow a_0 \sim 10^{-12} \text{ years}^{-1} \quad (4)$$


The time evolution of system Eq. (1) and Eq. (2) is plotted in Figs. 1 and 2. We note that in Fig. 1 the numerical value of the maximum of the function $N(t)$ is $N_M \sim 10^{10}$ estimated as the carrying capacity for the Earth population¹⁴. Again we have to stress that it is unrealistic to think that the decline of the population in a situation of strong environmental degradation would be a non-chaotic and well-ordered decline, that is also way we take the maximum in population and the time at which occurs as the point of reference for the occurrence of an irreversible catastrophic collapse, namely a ‘no-return’ point.

Figure 1



On the left: plot of the solution of Eq. (1) with the initial condition $N_0 = 6 \times 10^9$ at initial time $t = 2000$ A.C. On the right: plot of the solution of Eq. (2) with the initial condition $R_0 = 4 \times 10^7$. Here $\beta = 700$ and $a_0 = 10^{-12}$.

Figure 2



On the left: plot of the solution of Eq. (1) with the initial condition $N_0 = 6 \times 10^9$ at initial time $t = 2000$ A.C. On the right: plot of the solution of Eq. (2) with the initial condition $R_0 = 4 \times 10^7$. Here $\beta = 700$ and $a_0 = 10^{-12}$.

Statistical model of technological development

According to Kardashev scale [7,8](#) in order to be able to spread through the solar system, a civilisation must be capable to build a Dyson sphere,¹⁶ i.e. a maximal technological exploitation of most the energy from its local star, which in the case of the Earth with the Sun would correspond to an energy consumption of $E_D \approx 4 \times 10^{26}$ Watts, we call this value Dyson limit. Our actual energy consumption is estimated in $E_c \approx 10^{13}$ Watts (Statistical Review of World Energy source).⁹ To describe our technological evolution, we may roughly schematise the development as a dichotomous random process

$$\frac{d}{dt}T = \alpha T \xi(t). \quad (5)$$

where T is the level of technological development of human civilisation that we can also identify with the energy consumption. α is a constant parameter describing the technological growth rate (i.e. of T) and $\xi(t)$ a random variable with values 0,1. We consider therefore, based on data of global energy consumption^{5,6} an exponential growth with fluctuations mainly reflecting changes in global economy. We therefore consider a modulated exponential growth process where the fluctuations in the growth rate are captured by the variable $\xi(t)$. This variable switches between values 0,1 with waiting times between switches distributed with density $\psi(t)$. When $\xi(t)=0$ the growth stops and resumes when ξ switches to $\xi(t)=1$. If we consider T more strictly as describing the technological development, $\xi(t)$ reflects the fact that investments in research can have interruptions as a consequence of alternation of periods of economic growth and crisis. With the following transformation,

$$W = \log \left(\frac{T}{T_0} \right)^{2/\alpha} - 2\langle \xi \rangle t, \quad (6)$$

differentiating both sides respect to t and using Eq. (5), we obtain for the transformed variable W

$$\frac{d}{dt} W = \bar{\xi}(t) \quad (7)$$

where $\bar{\xi}(t) = 2[\xi(t) - \langle \xi \rangle]$ and $\langle \xi \rangle$ is the average of $\xi(t)$ so that $\bar{\xi}(t)$ takes the values ± 1 .

The above equation has been intensively studied, and a general solution for the probability distribution $P(W, t)$ generated by a generic waiting time distribution can be found in literature.¹⁷ Knowing the distribution we may evaluate the first passage time distribution in reaching the necessary level of technology to e.g. live in the extraterrestrial space or develop any other way to sustain population of the planet. This characteristic time has to be compared with the time that it will take to reach the no-return point. Knowing the first passage time distribution¹⁸ we will be able to evaluate the probability to survive for our civilisation.

If the dichotomous process is a Poissonian process with rate γ then the correlation function is an exponential, i.e.

$$\langle \bar{\xi}(t) \bar{\xi}(t') \rangle = \exp[-\gamma|t - t'|] \quad (8)$$

and Eq. (7) generates for the probability density the well known telegrapher's equation

$$\frac{\partial^2}{\partial t^2} P(W, t) + \gamma \frac{\partial}{\partial t} P(W, t) = \frac{\partial^2}{\partial W^2} P(W, t) \quad (9)$$

We note that the approach that we are following is based on the assumption that at random times, exponentially distributed with rate γ , the dichotomous variable $\bar{\xi}$ changes its value. With this assumption the solution to Eq. (9) is

$$P(W, t) = \frac{1}{2} \exp\left[-\frac{\gamma}{2}t\right] \left[\delta(t - |W|) + \frac{\gamma}{2} \left(I_0 \left[\frac{\gamma}{2} \sqrt{t^2 - W^2} \right] + \frac{t I_1 \left[\frac{\gamma}{2} \sqrt{t^2 - W^2} \right]}{\sqrt{t^2 - W^2}} \right) \theta(t - |W|) \right], \quad (10)$$

where $I_n(z)$ are the modified Bessel function of the first kind. Transforming back to the variable T we have

$$\begin{aligned}
 P(T, t) &= \frac{1}{4} J e^{-\frac{\gamma}{2} t} \left[\delta(2t - x) + \delta(x) \right. \\
 &\quad \left. + \gamma \left(I_0 \left[\frac{\gamma}{2} \sqrt{(2t - x)x} \right] + \frac{t I_1 \left[\frac{\gamma}{2} \sqrt{(2t - x)x} \right]}{\sqrt{x(2t - x)}} \right) \right] \theta \left(t - \frac{x}{2} \right) \theta(x)
 \end{aligned} \tag{11}$$

where for sake of compactness we set

$$x = \log (T/T_0)^{2/\alpha}, \quad J = \frac{dW}{dT} = \frac{2}{\alpha T} \tag{12}$$

In Laplace transform we have

$$\hat{P}(T, s) = \frac{J}{2 \left(\frac{\gamma}{2} + s \right)} \left[\delta(x) + \frac{(\gamma + s)^2}{2 \left(\frac{\gamma}{2} + s \right)} \exp \left[-\frac{s x (\gamma + s)}{2 \left(\frac{\gamma}{2} + s \right)} \right] \right]. \tag{13}$$

The first passage time distribution, in Laplace transform, is evaluated as¹⁹

$$\hat{f}_T(s) = \frac{\hat{P}(x, s)}{\hat{P}(x_1, s)} = \exp \left[-\frac{s(\gamma + s)(x - x_1)}{2 \left(\frac{\gamma}{2} + s \right)} \right], \quad x > x_1. \tag{14}$$

Inverting the Laplace transform we obtain

$$\begin{aligned}
 f_T(t) &= \exp \left[-\frac{\gamma}{2} t \right] \frac{\gamma \sqrt{x - x_1} I_1 \left(\frac{\sqrt{x - x_1} \sqrt{t - \frac{x - x_1}{2}} \gamma}{\sqrt{2}} \right)}{2 \sqrt{2} \sqrt{t - \frac{x - x_1}{2}}} \theta \left[t - \frac{x - x_1}{2} \right] \\
 &\quad + \exp \left[-\frac{\gamma}{2} t \right] \delta \left(t - \frac{x - x_1}{2} \right),
 \end{aligned} \tag{15}$$


which is confirmed (see Fig. 3) by numerical simulations. The time average to get the point x for the first time is given by

$$\begin{aligned}
 \langle t \rangle &= \int_0^\infty t f_T(t) dt = x - x_1 = \log (T/T_0)^{2/\alpha} - \log (T_1/T_0)^{2/\alpha} = \frac{2}{\alpha} \\
 &\quad \log \left(\frac{T}{T_1} \right),
 \end{aligned} \tag{16}$$

which interestingly is double the time it would take if a pure exponential growth occurred, depends on the ratio between final and initial value of T and is independent of γ . We also stress that this result depends on parameters directly related to the stage of development of the considered civilisation, namely the starting value T_1 , that we assume to be the energy consumption E_c of the fully industrialised stage of the civilisation evolution and the final value T , that we assume to be the Dyson limit E_D , and the technological growth rate α . For the latter we may, rather optimistically, choose the value $\alpha = 0.345$, following the Moore Law²⁰ (see next section). Using the data above, relative to our planet's scenario, we obtain


the estimate of $\langle t \rangle \approx 180$ years. From Figs. 1 and 2 we see that the estimate for the no-return time are 130 and 22 years for $\beta=700$ and $\beta=170$ respectively, with the latter being the most realistic value. In either case, these estimates based on average values, being less than 180 years, already portend not a favourable outcome for avoiding a catastrophic collapse. Nonetheless, in order to estimate the actual probability for avoiding collapse we cannot rely on average values, but we need to evaluate the single trajectories, and count the ones that manage to reach the Dyson limit before the ‘no-return point’. We implement this numerically as explained in the following.

Figure 3



(Left) Comparison between theoretical prediction of Eq. (15) (black curve) and numerical simulation of Eq. (3) (cyan curve) for $\gamma=4$ (arbitrary units). (Right) Comparison between theoretical prediction of Eq. (15) (red curve) and numerical simulation of Eq. (3) (black curve) for $\gamma=1/4$ (arbitrary units).

Figure 4




(Left panel) Probability p_{suc} of reaching Dyson value before reaching “no-return” point as function of α and a for $\beta=170$. Parameter a is expressed in $\text{Km}^2 \text{ys}^{-1}$. (Right panel) 2D plot of p_{suc} for $a=1.5 \times 10^{-4} \text{ Km}^2 \text{ys}^{-1}$ as a function of α . Red line is p_{suc} for $\beta=170$. Black continuous lines (indistinguishable) are p_{suc} for $\beta=300$ and 700 respectively (see also Fig. 6). Green dashed line indicates the value of α corresponding to Moore's law.

Numerical results


We run simulations of Eqs. (1), (2) and (5) simultaneously for different values of parameters a_0 and α for fixed β and we count the number of trajectories that reach Dyson limit before the population level reaches the “no-return point” after which rapid collapse occurs. More precisely, the evolution of T is stochastic due to the dichotomous random process $\xi(t)$, so we generate the $T(t)$ trajectories and at the same time we follow the evolution of the population and forest density dictated by the dynamics of Eqs. (1), (2) until the latter dynamics reaches the no-return point (maximum in population followed by collapse). When this happens, if the trajectory in $T(t)$ has reached the Dyson limit we count it as a success, otherwise as failure. This way we determine the probabilities and relative mean times in Figs. 5, 6 and 7. Adopting a weak sustainability point of view our model does not specify the technological mechanism by which the successful trajectories are able to find an alternative to forests and avoid collapse, we leave this undefined and link it exclusively and probabilistically to the attainment of the Dyson limit. It is important to notice that we link the technological growth process described by Eq. (5) to the economic growth and therefore we consider, for both economic and technological growth, a random sequence of growth and stagnation cycles, with mean periods of about 1 and 4 years in accordance with estimates for the driving world economy, i.e. the United States according to the National Bureau of Economic Research.²¹

Figure 5




Average time τ (in years) to reach Dyson value before hitting “no-return” point (success, left) and without meeting Dyson value (failure, right) as function of α and a for $\beta = 170$. Plateau region (left panel) where $\tau \geq 50$ corresponds to diverging τ , i.e. Dyson value not being reached before hitting “no-return” point and therefore failure. Plateau region at $\tau = 0$ (right panel), corresponds to failure not occurring, i.e. success. Parameter a is expressed in Km² ys⁻¹.

Figure 6



Probability p_{suc} of reaching Dyson value before hitting “no-return” point as function of α and a for $\beta = 300$ (left) and $\beta = 700$ (right). Parameter a is expressed in Km² ys⁻¹.

Figure 7



Probability of reaching Dyson value p_{suc} before reaching “no-return” point as function of β and α for $a = 1.5 \times 10^{-4} \text{ Km}^2 \text{ y}^{-1}$.

In Eq. (1, 2) we redefine the variables as $N' = N/R_W$ and $R' = R/R_W$ with $R_W \approx 150 \times 10^6 \text{ Km}^2$ the total continental area, and replace parameter a_0 accordingly with $a = a_0 \times R_W = 1.5 \times 10^{-4} \text{ Km}^2 \text{ y}^{-1}$. We run simulations accordingly starting from values R'_0 and N'_0 , based respectively on the current forest surface and human population. We take values of a from 10^{-5} to $3 \times 10^{-4} \text{ Km}^2 \text{ y}^{-1}$ and for α from 0.01 y^{-1} to 4.4 y^{-1} . Results are shown in Figs. 4 and 6. Figure 4 shows a threshold value for the parameter α , the technological growth rate, above which there is a non-zero probability of success. This threshold value increases with the value of the other parameter a . As shown in Fig. 7 this values depends as well on the value of β and higher values of β correspond to a more favourable scenario where the transition to a non-zero probability of success occurs for smaller α , i.e. for smaller, more accessible values, of technological growth rate. More specifically, left panel of Fig. 4 shows that, for the more realistic value $\beta = 170$, a region of parameter values with non-zero probability of avoiding collapse corresponds to values of α larger than 0.5. Even assuming that the technological growth rate be comparable to the value $\alpha = \log(2)/2 = 0.345 \text{ y}^{-1}$, given by the Moore Law (corresponding to a doubling in size every two years), therefore, it is unlikely in this regime to avoid reaching the catastrophic ‘no-return point’. When the realistic value of $a = 1.5 \times 10^{-4} \text{ Km}^2 \text{ y}^{-1}$ estimated from Eq. (4), is adopted, in fact, a probability less than 10% is obtained for avoiding collapse with a Moore growth rate, even when adopting the more optimistic scenario corresponding to $\beta = 700$ (black curve in right panel of Fig. 4). While an α larger than 1.5 is needed to have a non-zero probability of avoiding collapse when $\beta = 170$ (red curve, same panel). As far as time scales are concerned,

right panel of Fig. 5 shows for $\beta=170$ that even in the range $\alpha>0.5$, corresponding to a non-zero probability of avoiding collapse, collapse is still possible, and when this occurs, the average time to the ‘no-return point’ ranges from 20 to 40 years. Left panel in same figure, shows for the same parameters, that in order to avoid catastrophe, our society has to reach the Dyson’s limit in the same average amount of time of 20–40 years.

In Fig. 7 we show the dependence of the model on the parameter β for $a=1.5 \times 10^{-4}$.

Methods

We run simulations of Eqs. (1), (2) and (5) simultaneously for different values of parameters a_0 and α depending on β as explained in Methods and Results to generate Figs. 5, 6 and 7. Equations (1), (2) are integrated via standard Euler method. Eq. (5) is integrated as well via standard Euler method between the random changes of the variable ξ . The stochastic dichotomous process ξ is generated numerically in the following way: using the random number generator from gsl library we generate the times intervals between the changes of the dichotomous variable $\xi=0, 1$, with an exponential distribution (with mean values of 1 and 4 years respectively), we therefore obtain a time series of 0 and 1 for each trajectory. We then integrate Eq. (5) in time using this time series and we average over $N=10000$ trajectories. The latter procedure is used to carry out simulations in Figs. 3 and 4 as well in order to evaluate the first passage time probabilities. All simulations are implemented in C++.

Fermi paradox

In this section we briefly discuss a few considerations about the so called Fermi paradox that can be drawn from our model. We may in fact relate the Fermi paradox to the problem of resource consumption and self destruction of a civilisation. The origin of Fermi paradox dates back to a casual conversation about extraterrestrial life that Enrico Fermi had with E. Konopinski, E. Teller and H. York in 1950, during which Fermi asked the famous question: “where is everybody?”, since then become eponymous for the paradox. Starting from the closely related Drake equation,^{22,23} used to estimate the number of extraterrestrial civilisations in the Milky Way, the debate around this topic has been particularly intense in the past (for a more comprehensive covering we refer to Hart,²⁴ Freitas²⁵ and reference therein). Hart’s conclusion is that there are no other advanced or ‘technological’ civilisations in our galaxy as also supported recently by²⁶ based on a careful reexamination of Drake’s equation. In other words the terrestrial civilisation should be the only one living in the Milk Way. Such conclusions are still debated, but many of Hart’s arguments are undoubtedly still valid while some of them need to be rediscussed or updated. For example, there is also the possibility that avoiding communication might actually be an ‘intelligent’ choice and a possible explanation of the paradox. On several public occasions, in fact, Professor Stephen Hawking suggested human kind should be very cautious about making contact with extraterrestrial life. More precisely when questioned about planet Gliese 832c’s potential for alien life he once said: “One day, we might receive a signal from a planet like this, but we should be wary of answering back”. Human history has in fact been punctuated by clashes between different civilisations and cultures which should serve as caveat. From the relatively soft replacement between Neanderthals and Homo Sapiens (Kolodny²⁷) up to the violent confrontation between native Americans and Europeans, the historical examples of clashes and extinctions of cultures and civilisations have been quite numerous. Looking at human history Hawking’s suggestion appears as a wise warning and we cannot rule out the possibility that extraterrestrial societies are following similar advice coming from their best minds.

Self-destruction following environmental degradation is becoming more and more an alarming possibility.

With the help of new technologies capable of observing extrasolar planetary systems, searching and contacting alien life is becoming a concrete possibility (see for example Grimaldi²⁸ for a study on the chance of detecting extraterrestrial intelligence), therefore a discussion on the probability of this occurring is an important opportunity to assess also our current situation as a civilisation. Among Hart's arguments, the self-destruction hypothesis especially needs to be rediscussed at a deeper level.

Modern societies are driven by Economy, and, without giving here a well detailed definition of “economical society”, we may agree that such a kind of society privileges the interest of its components with less or no concern for the whole ecosystem that hosts them.

Self-destruction following environmental degradation is becoming more and more an alarming possibility. While violent events, such as global war or natural catastrophic events, are of immediate concern to everyone, a relatively slow consumption of the planetary resources may be not perceived as strongly as a mortal danger for the human civilisation. Modern societies are in fact driven by Economy, and,

without giving here a well detailed definition of “economical society”, we may agree that such a kind of society privileges the interest of its components with less or no concern for the whole ecosystem that hosts them (for more details see²⁹ for a review on Ecological Economics and its criticisms to mainstream Economics). Clear examples of the consequences of this type of

Even if intelligent life forms were very common (only very few civilisations would be able to reach a sufficient technological level so as to spread in their own solar system before collapsing due to resource consumption.

societies are the international agreements about Climate Change. The Paris climate agreement^{30,31} is in fact, just the last example of a weak agreement due to its strong subordination to the economic interests of the single individual countries. In contraposition to this type of society we may have to redefine a different model of society, a “cultural society”, that in

some way privileges the interest of the ecosystem above the individual interest of its components, but eventually in accordance with the overall communal interest. This consideration suggests a statistical explanation of Fermi paradox: even if intelligent life forms were very common (in agreement with the mediocrity principle in one of its version:³² “there is nothing special about the solar system and the planet Earth”) only very few civilisations would

If we are an exception in the Universe we have a high probability to collapse or become extinct, while if we assume the mediocrity principle, very few civilisations are able to reach a sufficient technological level so as to spread in their own solar system before the consumption of their planet's resources triggers a catastrophic population collapse.

be able to reach a sufficient technological level so as to spread in their own solar system before collapsing due to resource consumption.

We are aware that several objections can be raised against this argument and we discuss below the one that we believe to be the most important. The main objection is that we do not know anything about extraterrestrial life. Consequently, we do not know the role that a hypothetical intelligence plays in the ecosystem of the planet. For example not necessarily the planet needs trees (or the equivalent of trees) for its ecosystem. Furthermore the intelligent form of life could be itself the analogous of our trees, so avoiding the problem of the “deforestation” (or its analogous). But if we assume that we are not an exception (mediocrity principle) then independently of the structure of the alien ecosystem, the intelligent life form would exploit every kind of resources, from rocks to organic resources (animal/vegetal/etc), evolving towards a critical situation. Even if we are at the beginning of the extrasolar planetology, we have strong indications that Earth-like planets have the volume magnitude of the order of our planet. In other words, the resources that alien civilisations have at their disposal are, as order of magnitude, the same for all of them, including ourselves. Furthermore the mean time to reach the Dyson limit as derived in Eq. 6 depends only on the ratio between final and initial value of T and therefore would be independent of the size of the planet, if we assume as a proxy for T energy consumption (which scales with the size of the planet), producing a rather general result which can be extended to other

civilisations. Along this line of thinking, if we are an exception in the Universe we have a high probability to collapse or become extinct, while if we assume the mediocrity principle we are led to conclude that very few civilisations are able to reach a sufficient technological level so as to spread in their own solar system before the consumption of their planet's resources triggers a catastrophic population collapse. The mediocrity principle has been questioned (see for example Kukla³³ for a critical discussion about it) but on the other hand the idea that the humankind is in some way "special" in

Even assuming the mediocrity principle, the answer to "Where is everybody?" could be a lugubrious "(almost) everyone is dead".

the universe has historically been challenged several times. Starting with the idea of the Earth at the centre of the universe (geocentrism), then of the solar system as centre of the universe (Heliocentrism) and finally our galaxy as centre of the universe. All these beliefs have been denied by the facts.

Our discussion, being focused on the resource consumption, shows that whether we assume the mediocrity principle or our "uniqueness" as an intelligent species in the universe, the conclusion does not change. Giving a very broad meaning to the concept of cultural civilisation as a civilisation not strongly ruled by economy, we suggest for avoiding collapse³⁴ that only civilisations capable of such a switch from an economical society to a sort of "cultural" society in a timely manner, may survive. This discussion leads us to the conclusion that, even assuming the mediocrity principle, the answer to "Where is everybody?" could be a lugubrious "(almost) everyone is dead".

Conclusions

In conclusion our model shows that a catastrophic collapse in human population, due to resource consumption, is the most likely scenario of the dynamical evolution based on current parameters. Adopting a combined deterministic and

The probability that our civilisation survives itself is less than 10% in the most optimistic scenario.

stochastic model we conclude from a statistical point of view that the probability that our civilisation survives itself is less than 10% in the most optimistic scenario. Calculations show that, maintaining the actual rate of population growth and resource consumption, in particular forest consumption, we have a few decades left before an irreversible collapse of our civilisation (see Fig. 5). Making the

situation even worse, we stress once again that it is unrealistic to think that the decline of the population in a situation of strong environmental degradation would be a non-chaotic and well-ordered decline. This consideration leads to an even shorter remaining time. Admittedly, in our analysis, we assume parameters such as population growth and deforestation rate in our model as constant. This is a rough approximation which allows us to predict future scenarios based on current conditions. Nonetheless the resulting mean-times for a catastrophic outcome to occur, which are of the order of 2–4 decades (see Fig. 5), make this approximation acceptable, as it is hard to imagine, in absence of very strong collective efforts, big changes of these parameters to occur in such time scale. This interval of time seems to be out of our reach and incompatible with the actual rate of the resource consumption on Earth, although some fluctuations around this trend are possible³⁵ not only due to unforeseen effects of climate change but also to desirable human-driven reforestation. This scenario offers as well a plausible additional explanation to the fact that no signals from other civilisations are detected. In fact according to Eq. (16) the mean time to reach Dyson sphere depends on the ratio of the

To avoid collapse, we suggest that only civilisations capable of a switch from an economical society to a sort of "cultural" society in a timely manner, may survive.

technological level T and therefore, assuming energy consumption (which scales with the size of the planet) as a proxy for T , such ratio is approximately independent of the size of the planet. Based on this observation and on the mediocrity principle, one could extend the results shown in this paper, and

conclude that a generic civilisation has approximatively two centuries starting from its fully developed industrial age to reach the capability to spread through its own solar system. In fact, giving a very broad meaning to the concept of

cultural civilisation as a civilisation not strongly ruled by economy, we suggest that only civilisations capable of a switch from an economical society to a sort of “cultural” society in a timely manner, may survive.

Related links:

- The Jus Semper Global Alliance
 - Alejandro Pedregal and Juan Borda: [Toward an Ecosocialist Degrowth](#)
 - The Editors of Monthly Review: [Notes on Time is Running Out](#)
 - Jordan Fox Besek: [Building the Vision of the Good Life](#)
 - John Bellamy Foster, John Molyneux and Owen McCormack: [Against Doomsday Scenarios: What Is to Be Done Now?](#)
 - Álvaro J. de Regil: [The Deceptive Delusions of Green Capitalism](#)
 - John Bellamy Foster and Haris Golemis: [The Planetary Rift](#)
 - Christine Corlet Walker, Angela Druckman, Tim Jackson: [Welfare Systems Without Economic Growth](#)
 - John Bellamy Foster: [The Meaning of Work in a Sustainable Society](#)
 - Simon Mair, Angela Druckman and Tim Jackson: [A Tale of Two Utopias: Work in a Post-Growth World](#)
 - Álvaro J. de Regil: [Transitioning to Geocratia the People and Planet and Not the Market Paradigm — First Steps](#)
 - Jim O'Neill: [Life Beyond Capital](#)
-

- ¹ Waring, R. H. & Running, S. W. Forest Ecosystems: Analysis at Multiple Scales (Academic Press, 2007).
- ² The State of the World's Forests 2018. Forest Pathways to Sustainable Development, Food and Agriculture Organization of the United Nations Rome (2018).
- ³ Bologna, M. & Flores, J. C. A simple mathematical model of society collapse applied to Easter Island. *EPL* **81**, 48006 (2008).
- ⁴ Bologna, M., Chandia, K. J. & Flores, J. C. A non-linear mathematical model for a three species ecosystem: Hippos in Lake Edward. *Journal of Theoretical Biology* **389**, 83 (2016).
- ⁵ U.S. Energy Information Administration (EIA), <https://www.eia.gov/international/data/world>.
- ⁶ Vaclav, S. Energy transitions: history, requirements, prospects (ABC-CLIO, 2010).
- ⁷ Kardashev, N. Transmission of Information by Extraterrestrial civilisations. *Soviet Astronomy* **8**, 217 (1964).
- ⁸ Kardashev, N. On the Inevitability and the Possible Structures of Supercivilisations, The search for extraterrestrial life: Recent developments; Proceedings of the Symposium p. 497–504 (1985).
- ⁹ Statistical Review of World Energy source (2018).
- ¹⁰ NASA source <https://svs.gsfc.nasa.gov/11393>.
- ¹¹ Frank, A., Carroll-Nellenback, J., Alberti, M. & Kleidon, A. The Anthropocene Generalized: Evolution of Exo-Civilizations and Their Planetary Feedback. *Astrobiology* **18**, 503–517 (2018).
- ¹² Fort, J. & Mendez, V. Time-Delayed Theory of the Neolithic Transition in Europe. *Phys. Rev. Lett.* **82**, 867 (1999).
- ¹³ Molles, M. *Ecology: Concepts and Applications* (McGraw-Hill Higher Education, 1999).
- ¹⁴ Wilson, E. O. The Future of Life (Knopf, 2002).
- ¹⁵ Bongaarts, J. Human population growth and the demographic transition. *Phil. Trans. R. Soc. B* **364**, 2985–2990 (2009).
- ¹⁶ Dyson, F. J. Search for Artificial Stellar Sources of Infra-Red Radiation. *Science* **131**, 1667–1668 (1960).
- ¹⁷ Bologna, M., Ascolani, G. & Grigolini, P. Density approach to ballistic anomalous diffusion: An exact analytical treatment. *J. Math. Phys.* **51**, 043303 (2010).
- ¹⁸ Hanggi, P. & Talkner, P. First-passage time problems for non-Markovian processes. *Phys. Rev. A* **32**, 1934 (1985).
- ¹⁹ Weiss G. H. Aspects and Applications of the Random Walk, (North Holland, 1994).
- ²⁰ Moore, G. E. Cramming more components onto integrated circuits. *Electronics* **38**, 114 (1965).
- ²¹ Business Cycle Expansion and Contractions, <https://web.archive.org/web/20090310081706/http://www.nber.org/cycles>.
- ²² Drake, F. The radio search for intelligent extraterrestrial life. In Current Aspects of Exobiology 323–345 (Pergamon Press, New York, 1965).
- ²³ Burchell, M. J. W(h)ither the Drake equation? *Intern. J. Astrobiology* **5**, 243–250 (2006).
- ²⁴ Hart, M. H. Explanation for the Absence of Extraterrestrials on Earth. *Quarterly Journal of the Royal Astronomical Society* **16**, 128–135 (1975).
- ²⁵ Freitas, R. A. There is no Fermi Paradox. *Icarus* **62**, 518–520 (1985).
- ²⁶ Engler, J. O. & von Wehrden, H. Where is everybody?? An empirical appraisal of occurrence, prevalence and sustainability of technological species in the Universe. *International Journal of Astrobiology* **18**, 495–501 (2019).
- ²⁷ Kolodny, O. & Feldman, M. W. A parsimonious neutral model suggests Neanderthal replacement was determined by migration and random species drift. *Nature Comm.* **8**, 1040 (2017).
- ²⁸ Grimaldi, C. Signal coverage approach to the detection probability of hypothetical extraterrestrial emitters in the Milky Way. *Sci. Rep.* **7**, 46273 (2017).
- ²⁹ Daly, H. E. & Farley, J. Ecological Economics, Second Edition: Principles and Applications (Island Press, 2011).
- ³⁰ Paris Agreement, United Nations Framework Convention on Climate Change (UNFCCC) https://unfccc.int/files/meetings/paris_nov_2015/application/pdf/paris_agreement_english.pdf.
- ³¹ Tol, R. S. J. The structure of the climate debate. *Energy Policy* **104**, 431–438 (2017).
- ³² Rood, R. T. & Trefil, S. J. Are we alone? The possibility of extraterrestrial civilisations (Scribner, 1981).
- ³³ Kukla, A. Extraterrestrials A Philosophical Perspective (Lexington Books, 2010).
- ³⁴ Strunz, S., Marselle, M. & Schröter, M. Leaving the “sustainability or collapse” narrative behind. *Sustainability Science* **14**, 1717–1728 (2019).
- ³⁵ Song, X.-P. et al. Global land change from 1982 to 2016. *Nature* **560**, 639–643 (2018).

- ❖ **About Jus Semper:** The Jus Semper Global Alliance aims to contribute to achieving a sustainable ethos of social justice in the world, where all communities live in truly democratic environments that provide full enjoyment of human rights and sustainable living standards in accordance with human dignity. To accomplish this, it contributes to the liberalisation of the democratic institutions of society that have been captured by the owners of the market. With that purpose, it is devoted to research and analysis to provoke the awareness and critical thinking to generate ideas for a transformative vision to materialise the truly democratic and sustainable paradigm of People and Planet and NOT of the market.
- ❖ **About the authors:** **Mauro Bologna** is a Physical Researcher at Departamento de Ingeniería Eléctrica-Electrónica, Universidad de Tarapacá, Arica, Chile. **Gerardo Aquino** is a research on Complex Networks, Systems Biology, Stochastic Processes, Statistical Mechanics and Applied Mathematics at The Alan Turing Institute, University of London, Imperial College.
- ❖ **About this essay:** Deforestation and World Population Sustainability: a Quantitative Analysis was originally published in English by [Scientific Reports, Springer Nature in May 2020](#). "This paper has been published under Creative Commons, [Attribution 4.0 International \(CC BY 4.0\)](#). You are welcome to reproduce the material for non-commercial use, crediting the author and providing a link to the original publisher.
- ❖ **Quote this paper as:** Mauro Bologna and Gerardo Aquino: Deforestation and World Population Sustainability: a Quantitative Analysis – The Jus Semper Global Alliance, August 2022.
- ❖ **Acknowledgements:** M.B. and G.A. acknowledge Phy. C.A. for logistical support. **Author contributions:** M.B. and G.A. equally contributed and reviewed the manuscript. **Competing interests:** The authors declare no competing interests.
- ❖ Tags: Economic society, cultural society, self-destruction, climate change, deforestation, resource depletion, population collapse, Fermi paradox.
- ❖ The responsibility for opinions expressed in this work rests only with the author(s), and its publication does not necessarily constitute an endorsement by The Jus Semper Global Alliance.



Under Creative Commons Attribution 4.0 License
<https://creativecommons.org/licenses/by-nc-nd/4.0/>

© 2022. The Jus Semper Global Alliance
Portal on the net: <https://www.jussemper.org/>
e-mail: informa@jussemper.org